



## Wall Power Foaming Wall Washer

Version Number: 1

Preparation date: 2014-09-30

### 1. IDENTIFICATION

**Product name:** Wall Power Foaming Wall Washer  
**Product Code:** 95401786  
**SDS #:** MS0800386  
**Recommended use:** • General purpose cleaner  
**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**  
 US Headquarters Sealed Air  
 8215 Forest Point Blvd.  
 Charlotte, NC 28273-5509  
 Phone: 1-888-352-2249  
 SDS Internet Address: <https://sds.sealedair.com>

Canadian Headquarters  
 Sealed Air - Canada  
 3755 Laird Road Units 8-11  
 Mississauga, Ontario L5L 0B3  
 Phone: 1-800-668-7171

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Flammability Extremely flammable aerosol, Category 1



**Signal Word:**

**Danger.**

#### Precautionary Statements

**EXTREMELY FLAMMABLE AEROSOL. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not incinerate. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C (122 °F) which may cause bursting. Dispose of in accordance with all federal, state and local applicable regulations.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

#### Classification for the diluted product @ RTU

This product is intended to be used neat.

#### Precautionary Statements

None required.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Classified Ingredients

Ingredient(s)	CAS #	Weight %
---------------	-------	----------

Wall Power Foaming Wall Washer

1 of 5

Butane	106-97-8	3 - < 5%
Ethyl alcohol	64-17-5	1 - < 3%
Propane	74-98-6	1 - < 3%
Ammonia	7664-41-7	> 0.1 - < 1%

\*Exact percentages are being withheld as trade secret information

#### 4. FIRST AID MEASURES

##### Undiluted Product:

**Eyes:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Skin:** No specific first aid measures are required.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** Rinse mouth with water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

##### Diluted Product:

This product is intended to be used neat.

**Eyes:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Skin:** No specific first aid measures are required.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** Rinse mouth with water.

#### 5. FIRE-FIGHTING MEASURES

**Specific methods:** Aerosol Product - Containers may rocket or explode in heat of fire. Use water spray to keep fire-exposed containers cool.

**Suitable extinguishing media:** Use dry chemical, CO<sub>2</sub>, water spray or "alcohol" foam.

**Specific hazards:** Aerosol product - Containers may rocket or explode in heat of fire. NFPA 30B Level 1 Aerosol.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.). Remove all sources of ignition. Contents under pressure. Do not puncture or incinerate cans.

**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up. Eliminate all ignition sources.

#### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Exposure to heat may cause bursting. Do not pierce or burn, even after use. Store in a cool, dry, well ventilated area away from heat or open flame. NFPA 30B Level 1 Aerosol.

**Aerosol Level (if applicable):** Level 1

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

##### Exposure Guidelines:

Ingredient(s)	CAS #	ACGIH	OSHA
Butane	106-97-8	1000 ppm (STEL)	-
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA) 1900 mg/m <sup>3</sup> (TWA)
Propane	74-98-6	-	1000 ppm (TWA) 1800 mg/m <sup>3</sup> (TWA)
Ammonia	7664-41-7	35 ppm (STEL)	50 ppm (TWA)

		25 ppm (TWA)	35 mg/m <sup>3</sup> (TWA)
--	--	--------------	----------------------------

**Undiluted Product:**

**Engineering measures to reduce exposure:**

No special ventilation requirements. General room ventilation is adequate.

**Personal Protective Equipment**

<b>Eye protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hand protection:</b>	No personal protective equipment required under normal use conditions.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:**

This product is intended to be used neat.

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels

**Personal Protective Equipment**

<b>Eye protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hand protection:</b>	No personal protective equipment required under normal use conditions.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b> Aerosol	<b>Color:</b> Cloudy Yellow
<b>Evaporation Rate:</b> No information available	<b>Odor:</b> Floral
<b>Odor threshold:</b> No information available.	<b>Boiling point/range:</b> Not determined
<b>Melting point/range:</b> Not determined	<b>Decomposition temperature:</b> Not determined
<b>Autoignition temperature:</b> No information available	<b>Solubility:</b> Dispersible
<b>Solubility in other solvents:</b> No information available	<b>Relative Density (relative to water):</b> 1.011
<b>Density:</b> 8.43 lbs/gal 1.011 Kg/L	<b>Vapor density:</b> No information available
<b>Bulk density:</b> No information available	<b>Vapor pressure:</b> No information available.
<b>Flash point (°F):</b> -156 °F -104.4 °C	<b>Partition coefficient (n-octanol/water):</b> No information available
<b>Dilution Flash Point (°F):</b> -156 -104.4	<b>Viscosity:</b> No information available
<b>Elemental Phosphorus:</b> 0.00 % by wt.	<b>VOC:</b> 7.9 % *
<b>pH:</b> 12	<b>VOC % by wt. at use dilution</b> 7.9 % *
<b>Dilution pH:</b> 12 @ RTU	<b>Flammability (Solid or Gas):</b> Not applicable
<b>Corrosion to metals:</b> Not corrosive	<b>Sustained combustion:</b> Not applicable
<b>Explosion limits:</b> - upper: Not determined - lower: Not determined	

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

**10. STABILITY AND REACTIVITY**

<b>Reactivity:</b>	Not Applicable
<b>Stability:</b>	The product is stable
<b>Hazardous decomposition products:</b>	None reasonably foreseeable.
<b>Materials to avoid:</b>	Do not mix with any other product or chemical unless specified in the use directions.
<b>Conditions to avoid:</b>	No information available.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure:**

Skin contact, Inhalation, Eye contact

**Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** May be mildly irritating to skin. Symptoms may include redness and/or transient discomfort.

**Eye contact:** May be mildly irritating to eyes.

**Ingestion:** No information available.

**Inhalation:** No information available.

**Sensitization:** No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

Ingredient(s)	CAS #	NTP	IARC	OSHA	CA Prop 65	CA Prop 65 Reproductive
Ethyl alcohol	64-17-5		-		Carcinogen	Developmental

**Numerical measures of toxicity**

ATE - Oral (mg/kg): >5000

ATE - Inhalatory, mists (mg/l): >20

ATE - Inhalatory, vapors (mg/l): >50

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products (undiluted product):** Use up contents if possible before disposal. If possible, recycle empty aerosol cans to the nearest steel recycling center. This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Waste from residues / unused products (diluted product):** This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** D001 Ignitable Waste

**RCRA Hazard Class (diluted product):** Not Regulated

**Contaminated Packaging:** Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** LTD. QTY.

**IMDG (Ocean) Bill of Lading Description:** UN1950, AEROSOLS, 2.1, LTD. QTY.

## 15. REGULATORY INFORMATION

**International Inventories at CAS# Level**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Butane	106-97-8	X	X	X	-
Ethyl alcohol	64-17-5	X	X	X	-
Propane	74-98-6	X	X	X	-
Tetrasodium salt of EDTA	64-02-8	-	-	-	-
Ammonia	7664-41-7	X	X	X	X

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Ammonia	7664-41-7	> 0.1 - < 1%	100	100	X

**Canadian Regulations**

Ingredient(s)	CAS #	NPRI
Ethyl alcohol	64-17-5	X
Propane	74-98-6	X
Ammonia	7664-41-7	X

**16. OTHER INFORMATION****NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

**Version Number:** 1**Preparation date:** 2014-09-30**Reason for revision:** Not applicable**Prepared by:** NAPRAC**Additional advice:** • Contains an added fragrance, see "Odor" heading in section 9 for specific description

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*