SAFETY DATA SHEET



Pro Strip® PURE Non-Corrosive Floor Stripper

Version Number: 1

Preparation date: 2017-01-26

1. IDENTIFICATION

Product name: Product Code: SDS #: Recommended use:

 bde:
 95594354

 MS0801124
 MS0801124

 hded use:
 • Industrial/Institutional

 • Floor stripper
 • This product is intended to be diluted prior to use

Uses advised against:

Manufacturer, importer, supplier: US Headquarters Diversey, Inc. 2415 Cascade Pointe Blvd. Charlotte, NC 28208 Phone: 1-888-352-2249 SDS Internet Address: https://sds.sealedair.com

Emergency telephone number:

Uses other than those identified are not recommended Canadian Headquarters Sealed Air - Canada

Pro Strip® PURE Non-Corrosive Floor Stripper

Sealed Air - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171

2. HAZARDS IDENTIFICATION

1-800-851-7145; 1-651-917-6133 (Int'l)

Classification for the undiluted product

Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 2A Category 3



Signal Word:

Warning.

Precautionary Statements

MAY CAUSE RESPIRATORY IRRITATION. CAUSES SERIOUS EYE IRRITATION.

Avoid breathing vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Use only in a well-ventilated area. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Store in a well-ventilated place. Keep container tightly closed. Dispose of in accordance with all federal, state and local applicable regulations.

<u>Health hazards not otherwise classified (HHNOC)</u> - Not applicable <u>Physical hazards not otherwise classified (PHNOC)</u> - Not applicable

Pro Strip® PURE Non-Corrosive Floor Stripper



Classification for the diluted product @ 1:4

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

| Ingredient(s) | CAS # | Weight % |
|-----------------------------------|-----------|--------------|
| Benzyl alcohol | 100-51-6 | 10 - 20% |
| Monoethanolamine | 141-43-5 | 5 - 10% |
| Diethylene glycol monoethyl ether | 111-90-0 | 5 - 10% |
| Sodium xylene sulfonate | 1300-72-7 | 3 - < 5% |
| Hexyloxyethanol | 112-25-4 | > 0.1 - < 1% |

*Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Skin: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

<u>Most Important Symptoms/Effects:</u> No information available. <u>Immediate medical attention and special treatment needed</u> Not applicable.

Diluted Product:

Eyes: Rinse with plenty of water If irritation occurs and persists, get medical attention. **Skin:**_Rinse with plenty of water If irritation occurs and persists, get medical attention. **Inhalation:**_No specific first aid measures are required **Ingestion:**_Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

Specific methods: Suitable extinguishing media: Specific hazards: No special methods required Not applicable. Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place. **Aerosol Level (if applicable) :** Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

| Ingredient(s) | CAS # | ACGIH | OSHA |
|-----------------------------------|-----------|-----------------------------|------------------------------|
| Benzyl alcohol | 100-51-6 | - | - |
| Monoethanolamine | 141-43-5 | 6 ppm (STEL) 3 ppm (TWA) | 3 ppm (TWA) 6 mg/m³ (TWA) |
| Diethylene glycol monoethyl ether | 111-90-0 | - | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - |
| Hexyloxyethanol | 112-25-4 | - | - |

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

| Eye protection: | Chemical-splash goggles. |
|---------------------------|--|
| Hand protection: | Chemical-resistant gloves. |
| Skin and body protection: | No personal protective equipment required under normal use conditions. |
| Respiratory protection: | No personal protective equipment required under normal use conditions. |
| Hygiene measures: | Handle in accordance with good industrial hygiene and safety practice. |

Diluted Product:

| Personal Protective Equipment Eye protection: Hand protection: Skin and body protection: Respiratory protection: | No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. |
|--|--|
| Hygiene measures: | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical State: Liquid Evaporation Rate: No information available Odor threshold: No information available. Melting point/range: Not determined Autoignition temperature: No information available Solubility in other solvents: No information available Density: 8.72 lbs/gal 1.046 Kg/L Bulk density: No information available Flash point (°F): > 200 °F > 93.4 °C Dilution Flash Point: > 200 °F > 93.4 °C Elemental Phosphorus: 0.00 % by wt. pH: 11.4 Dilution pH: 11.2 @ 1.1 | Color: Clear Colorless Odor: Cherry Almond Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Dispersible Relative Density (relative to water): 1.046 Vapor density: No information available Vapor pressure: No information available. Partition coefficient (n-octanol/water): No information available Viscosity: No information available VOC: 7.52 % * VOC % by wt. at use dilution 1.5 % * |
|--|--|
| pH: 11.4 Dilution pH: 11.3 @ 1:4 | VOC % by wt. at use dilution 1.5 % * Flammability (Solid or Gas): Not applicable |
| Corrosion to metals: Not corrosive Explosion limits: - upper: Not determined - lower: Not determined | Sustained combustion: Not applicable |

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

| Reactivity: |
|-----------------------------------|
| Stability: |
| Hazardous decomposition products: |
| Materials to avoid: |
| Conditions to avoid: |

Not Applicable The product is stable None reasonably foreseeable. Do not mix with any other product or chemical unless specified in the use directions. No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure: Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: May be mildly irritating to skin. Symptoms may include redness and/or transient discomfort.
Eye contact: Causes serious eye irritation. Symptoms may include pain, redness, and watering.
Ingestion: May be irritating to mouth, throat and stomach. Symptoms may include stomach pain and nausea.
Inhalation: May be irritating to nose, throat, and respiratory tract. Symptoms may include coughing and difficulty breathing.
Sensitization: No known effects.
Target Organs (SE): None known
Target Organs (RE): None known

| Numerical measures of toxicity | |
|---------------------------------|-------|
| ATE - Oral (mg/kg): | 4000 |
| ATE - Dermal (mg/kg): | >5000 |
| ATE - Inhalatory, mists (mg/l): | 12 |

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): Not Regulated RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: NON REGULATED ITEM

IMDG (Ocean) Bill of Lading Description: NON REGULATED ITEM

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL).

RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|----------------|-----------|--------|--------|--------|--------|
| Water | 7732-18-5 | - | - | - | - |
| Benzyl alcohol | 100-51-6 | Х | - | Х | - |

| Monoethanolamine | 141-43-5 | Х | Х | Х | - |
|-----------------------------------|-----------|---|---|---|---|
| Diethylene glycol monoethyl ether | 111-90-0 | - | Х | - | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - | - | - |
| Hexyloxyethanol | 112-25-4 | - | Х | - | - |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------------------------|----------|--------------|----------------------|-----------------------|-------------|
| Diethylene glycol monoethyl ether | 111-90-0 | 5 - 10% | | | Х |
| Hexyloxyethanol | 112-25-4 | > 0.1 - < 1% | | | Х |

| Ingredient(s) | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-----------------------------------|---------|---------|-------------------------|
| Diethylene glycol monoethyl ether | Х | | |

SARA 311/312 Hazard Categories

| Immediate: | Х |
|-----------------------------|---|
| Delayed: | - |
| Fire: | - |
| Reactivity: | - |
| Sudden Release of Pressure: | - |
| Sudden Kelease of Tressure. | |

Canadian Regulations

16. OTHER INFORMATION

NFPA (National Fire Protection Association) Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 2 Flammability 0 Instability 0

Version Number: 1 Preparation date: 2017-01-26

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC • Contains an added fragrance, see "Odor" heading in section 9 for specific description

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract