according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Revision Date 04/12/2018

Print Date 04/12/2018

SDS Number 350000032370 GEN_SOF Number 59792

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	TruFill Hyper-Conc Floor Stripper End Use Dilution
Recommended use	:	Speciality Cleaner
Restrictions on use	:	Use only as directed on label
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone	:	+1-800-558-5252
Emergency telephone number	:	24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin irritation	Category 2	Causes skin irritation.
Eye irritation	Category 2A	Causes serious eye irritation.

Labelling

Hazard symbols

Exclamation mark

Signal word

Warning

Hazard statements

Causes skin irritation. Causes serious eye irritation.

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Revision Date 04/12/2018

Print Date 04/12/2018

SDS Number 350000032370 GEN_SOF Number 59792

Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Specific treatment (see supplemental first aid instructions on this label). IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Wear protective gloves/ eye protection/ face protection. Wash hands thoroughly after handling. **Other hazards** : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Ethanolamine	141-43-5	1.00 - 5.00
Benzyl alcohol	100-51-6	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

Description of first aid measures

4. FIRST AID MEASURES

Eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
Skin contact	:	Wash off with plenty of water. Take off contaminated clothing and wash before reuse.
Inhalation	:	No special requirements.

according to Hazard Communication Standard; 29 CFR 1910.1200



ersion 1.1	Print Date 04/12/2018
evision Date 04/12/2018	SDS Number 350000032370 GEN_SOF Number 59792
Ingestion	: No special requirements
Most important symptoms	and effects, both acute and delayed
Eyes	: Causes serious eye irritation.
Skin effect	: Causes skin irritation. No adverse effects expected when used as directed.
Inhalation	: May cause respiratory tract irritation.
Ingestion	 May cause irritation to mouth, throat and stomach. May cause abdominal discomfort. No adverse effects expected when used as directed.
	te medical attention and special treatment needed measures unless otherwise stated.
See Description of first aid FIREFIGHTING MEASURES Suitable extinguishing	measures unless otherwise stated.
See Description of first aid	measures unless otherwise stated.
See Description of first aid FIREFIGHTING MEASURES Suitable extinguishing media Specific hazards during	 measures unless otherwise stated. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
See Description of first aid FIREFIGHTING MEASURES Suitable extinguishing media Specific hazards during firefighting	 measures unless otherwise stated. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Container may melt and leak in heat of fire. Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.
See Description of first aid FIREFIGHTING MEASURES Suitable extinguishing media Specific hazards during firefighting Further information	 measures unless otherwise stated. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Container may melt and leak in heat of fire. Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.
See Description of first aid FIREFIGHTING MEASURES Suitable extinguishing media Specific hazards during firefighting Further information	 measures unless otherwise stated. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Container may melt and leak in heat of fire. Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

according to Hazard Communicat	ion Standard; 29 CFR 1910.1200	A FAMILY COMPANY
TruFill Hyper-Conc Flo	or Stripper End Use Diluti	ion
Version 1.1	Print Date	e 04/12/2018
Revision Date 04/12/2018		nber 350000032370)F Number 59792
Methods and materials for containment and cleaning up	: Dike large spills. Clean residue from spill site.	
7. HANDLING AND STORAGE		
Handling		
Precautions for safe handling	: Avoid contact with skin, eyes and For personal protection see sectio Use only as directed. KEEP OUT OF REACH OF CHILI Wash thoroughly after handling.	n 8.
Advice on protection against fire and explosion	Normal measures for preventive fire protection.	
Storage		
Requirements for storage	: Keep container closed when not ir	ו use.

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethanolamine	141-43-5	6 mg/m3	3 ppm	-	OSHA TWA
Ethanolamine	141-43-5	-	6 ppm	-	ACGIH STEL
Ethanolamine	141-43-5	-	3 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection	:	Substantial amounts of mist/vapors can be controlled with
		local exhaust ventilation or respiratory protection.

Hand protection : Wear suitable gloves.

according to Hazard Communicati	Standard; 29 CFR 1910.1200			
TruFill Hyper-Conc Flo	or	Stripper End Use Dilution		
Version 1.1	Print Date 04/12/2018			
Revision Date 04/12/2018	SDS Number 350000032370 GEN_SOF Number 59792			
Eye protection	:	Safety glasses with side-shields		
Skin and body protection	:	No special requirements.		
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.		
9. PHYSICAL AND CHEMICAL P	ROI	PERTIES		
Form	:	liquid		
Color	:	: colourless		
Odour	:	: characteristic		
Odour Threshold	:	: Test not applicable for this product type		
рН	:	11.54 at (25 °C)		
Melting point/freezing point	:	0 °F		
Initial boiling point and boiling range	:	Test not applicable for this product type		
Flash point	:	does not flash		
Evaporation rate	:	Test not applicable for this product type		
Flammability (solid, gas)	:	The product is not flammable.		
Upper/lower flammability or explosive limits	:	Test not applicable for this product type		
Vapour pressure		Test not applicable for this product type		

5/12

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Revision Date 04/12/2018

Print Date 04/12/2018

SDS Number 350000032370 GEN_SOF Number 59792

Vapour density	: Test not applicable for this product type
Relative density	: similar to water
Solubility(ies)	: dispersible
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: similar to water
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type
Volatile Organic Compounds Total VOC (wt. %)*	 3 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations
Other information	: None identified :
10. STABILITY AND REACTIVITY	
Reactivity	: No dangerous reaction known under conditions of normal use.
	6/12

according to Hazard Communication Standard; 29 CFR 1910.1200



rsion 1.1		Print Date 04/12/2018	
vision Date 04/12/2018		SDS Number 350000032370 GEN_SOF Number 59792	
Chemical stability	: Stable under recom	mended storage conditions.	
Possibility of hazardo reactions		occurs and toxic gas is formed, exit area return until well ventilated.	
Conditions to avoid	: Direct sources of he	at.	
Incompatible material	s : Do not mix with blea Strong bases	ch or any other household cleaners.	
Hazardous decompos products	ition : Thermal decomposi and vapours.	tion can lead to release of irritating gases	
	ORMATION		
Acute oral toxicity Acute inhalation toxi	: LD50 > 5000 mg/ł	٢g	
Acute oral toxicity	: LD50 > 5000 mg/ł city : LC50 > 10 mg/L		
Acute inhalation toxic	: LD50 > 5000 mg/ł city : LC50 > 10 mg/L		
Acute oral toxicity Acute inhalation toxi	: LD50 > 5000 mg/ł city : LC50 > 10 mg/L : LD50 > 5000 mg/ł	<g< td=""></g<>	
Acute oral toxicity Acute inhalation toxic Acute dermal toxicity GHS Properties	: LD50 > 5000 mg/ł city : LC50 > 10 mg/L 7 : LD50 > 5000 mg/ł Classification	Routes of entry	
Acute oral toxicity Acute inhalation toxic Acute dermal toxicity GHS Properties Acute toxicity	: LD50 > 5000 mg/ł city : LC50 > 10 mg/L : LD50 > 5000 mg/ł : LD50 > 5000 mg/ł Classification No classification proposed	kg Routes of entry Oral	
Acute oral toxicity Acute inhalation toxic Acute dermal toxicity GHS Properties Acute toxicity Acute toxicity	: LD50 > 5000 mg/k city : LC50 > 10 mg/L v : LD50 > 5000 mg/k Classification No classification proposed No classification proposed	g Routes of entry Oral Dermal	
Acute oral toxicity Acute inhalation toxic Acute dermal toxicity GHS Properties Acute toxicity Acute toxicity Acute toxicity	: LD50 > 5000 mg/k city : LC50 > 10 mg/L v : LD50 > 5000 mg/k Classification No classification proposed No classification proposed No classification proposed No classification proposed No classification proposed	kg Routes of entry Oral Dermal Inhalation - Dust and Mist	
Acute oral toxicity Acute inhalation toxic Acute dermal toxicity GHS Properties Acute toxicity Acute toxicity Acute toxicity Acute toxicity Acute toxicity	:: LD50 > 5000 mg/k city :: LC50 > 10 mg/L v :: LD50 > 5000 mg/k No classification proposed No classification proposed No classification proposed No classification proposed No classification proposed	kg Routes of entry Oral Dermal Inhalation - Dust and Mist Inhalation - Vapour	

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370 GEN_SOF Number 59792

Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

oonanon

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethanolamine	No data available NOEC	Oryzias latipes	1.2 mg/l	41 d
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Revision Date 04/12/2018

Print Date 04/12/2018

SDS Number 350000032370 GEN_SOF Number 59792

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Daphnia magna (Water flea)	65 mg/l	48 h
	NOEC	Daphnia magna	0.85 mg/l	21 d
Benzyl alcohol	EC50	Daphnia magna (Water flea)	230 mg/l	48 h
	NOEC	Daphnia	51 mg/l	21 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Desmodesmus subspicatus (green algae)	2.5 mg/l	72 h
Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethanolamine	> 90 %	21 d	Readily biodegradable.
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethanolamine	9.2 QSAR	-0.2

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Revision Date 04/12/2018

Print Date 04/12/2018

SDS Number 350000032370 GEN_SOF Number 59792

		Benzyl alcohol	1.37 estimated	1.1
--	--	----------------	----------------	-----

Mobility

Component	End point	Value
Ethanolamine	No data available	
Benzyl alcohol	No data available	-

PBT and vPvB assessment

Component	Results
Ethanolamine	Not fulfilling PBT and vPvB criteria
Benzyl alcohol	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

	nication Standard; 29 CFR 1910.1200
	A FAMILY COMPANY
ruFill Hyper-Conc	Floor Stripper End Use Dilution
ersion 1.1	Print Date 04/12/2018
evision Date 04/12/2018	SDS Number 350000032370 GEN_SOF Number 59792
	listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Prop. 65	: This product is not subject to the reporting requirements under California's Proposition 65.
6. OTHER INFORMATION	
HMIS Ratings	2
HMIS Ratings Health	2
HMIS Ratings Health Flammability	0
HMIS Ratings Health Flammability Reactivity	
HMIS Ratings Health Flammability	0
HMIS Ratings Health Flammability Reactivity NFPA Ratings	0 0
HMIS Ratings Health Flammability Reactivity NFPA Ratings Health	0 0 2
HMIS Ratings Health Flammability Reactivity NFPA Ratings Health Fire	0 0 2 0

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Revision Date 04/12/2018

Print Date 04/12/2018

SDS Number 350000032370 GEN_SOF Number 59792

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill[™] Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper
Recommended use	:	This product is intended to be diluted prior to use.
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Hazard classification	Hazard category	Hazards identification		
Acute toxicity	Category 4	Harmful if swallowed.		
Acute toxicity	Category 4	Harmful in contact with skin.		
Acute toxicity	Category 4	Harmful if inhaled.		
Skin corrosion	Category 1	Causes severe skin burns and eye damage.		
Serious eye damage	Category 1	Causes serious eye damage.		

Globally Harmonized System (GHS) Classification

Labelling

Hazard symbols

Corrosion Exclamation mark

Signal word Danger

Hazard statements

Harmful if swallowed, in contact with skin or if inhaled

1/14

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™

Print Date 09/26/2016

Version 1.0

Revision Date 06/29/2015

SDS Number 350000028567 GEN_SOF Number 50496

Hyper Concentrate Floor Stripper

Causes severe skin burns and eye damage.

Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Immediately call a POISON CENTER or doctor/ physician. Specific treatment (see supplemental first aid instructions on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/ container to an approved incineration plant. Wear protective gloves/ protective clothing. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid breathing mist.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethanolamine	141-43-5	60.00 - 100.00
Benzyl alcohol	100-51-6	10.00 - 30.00
Diisopropanolamine	110-97-4	1.00 - 5.00
Poly(oxy-1,2-ethanediyl), .alpha isotridecylomegahydroxy-	9043-30-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

2/14

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

4. FIRST AID MEASURES

Eye contact	IF IN EYES: Rinse cautiously with water for several minute Remove contact lenses, if present and easy to do. Continu- rinsing. Immediately call a POISON CENTER or doctor/ physician. Get medical attention immediately.	
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off with plent water. Take off contaminated clothing and wash before reul mmediately call a POISON CENTER or doctor/ physician.	y of
Inhalation	IF INHALED: Remove person to fresh air and keep comfort for breathing. Call a POISON CENTER or doctor/physician you feel unwell.	
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF SWALLOWED: Rinse mouth Do NOT induce vomiting.	۱.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during firefighting	:	Container may melt and leak in heat of fire.
Further information	:	Wear full protective clothing and positive pressure self- contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear personal protective equipment. Wash thoroughly after handling.	
Environmental	Outside of normal use, avoid release to the environment.	
	3/14	

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professio	nal® TruFill™	Hyper Concentrate Floor Stripper		
Version 1.0		Print Date 09/26/2016		
Revision Date 06/29/2015		SDS Number 350000028567 GEN_SOF Number 50496		
precautions				
Methods and materials for containment and cleaning up	: Dike large spills. Clean residue fror	n spill site.		
7. HANDLING AND STORAGE				
Handling				
Precautions for safe handling	For personal prote Use only as direct KEEP OUT OF R Avoid breathing v Use only outdoors Do not eat, drink o	Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Avoid breathing vapours, mist or gas. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.		
Advice on protection against fire and explosion	: Normal measures	for preventive fire protection.		
Storage				
Requirements for storage areas and containers	: Keep container clo Store locked up.	osed when not in use.		

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™

Print Date 09/26/2016

Revision Date 06/29/2015

Version 1.0

SDS Number 350000028567 GEN_SOF Number 50496

Hyper Concentrate Floor Stripper

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethanolamine	141-43-5	6 mg/m3	3 ppm	-	OSHA TWA
Ethanolamine	141-43-5	-	6 ppm	-	ACGIH STEL
Ethanolamine	141-43-5	-	3 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection	:	Use only with adequate ventilation. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.
Hand protection	:	Wear suitable gloves. Rubber gloves
Eye protection	:	Wear splash-resistant Chemical goggles.
Skin and body protection	:	Protective footwear.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	liquid
Color	:	Straw-Colored
Odor	:	characteristic

5/14

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

Odour Threshold	: Test not applicable for this product type
рН	: 11.54 at (25 °C) 10% solution, concentrated aqueous solution
Melting point/freezing point	: Test not applicable for this product type
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: > 93 °C > 199.4 °F
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: The product is not flammable.
Upper/lower flammability or explosive limits	: No data available
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 1.029 g/cm3 at 27.5 °C
Solubility(ies)	: dispersible
Partition coefficient: n- octanol/water	: Test not applicable for this product type
	6/14

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper Version 1.0 Print Date 09/26/2016 Revision Date 06/29/2015 SDS Number 350000028567 GEN_SOF Number 50496 Auto-ignition temperature : Test not applicable for this product type **Decomposition temperature** : Test not applicable for this product type Viscosity, dynamic : < 20 mPa.s Viscosity, kinematic : Test not applicable for this product type Oxidizing properties : Test not applicable for this product type Volatile Organic : 62 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Compounds Total VOC (wt. %)* Regulations Other information : None identified : **10. STABILITY AND REACTIVITY** Possibility of hazardous : Do not mix with bleach or any other household cleaners. reactions If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated. Possibility of hazardous : If accidental mixing occurs and toxic gas is formed, exit area reactions immediately. Do not return until well ventilated. Conditions to avoid : Direct sources of heat. Incompatible materials : Do not mix with bleach or any other household cleaners. Strong bases

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Profession	nal® TruFill™	Hyper Concentrate Floor Stripper
Version 1.0		Print Date 09/26/2016
Revision Date 06/29/2015		SDS Number 350000028567 GEN_SOF Number 50496
Hazardous decomposition products	: Thermal decomp and vapours.	position can lead to release of irritating gases
11. TOXICOLOGICAL INFORMAT	ΓΙΟΝ	
Emergency Overview	: Danger	
Acute oral toxicity	: NA GHS LD50 Calculated 1,829.21 mg/kg	
Acute inhalation toxicity	: NA GHS LC50 (Calculated 12.65 mg/l	vapour)
Acute dermal toxicity	: NA GHS LD50 Calculated 1,379.69 mg/kg	

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	Category 4	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	Category 4	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™

Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effectsIndividuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethanolamine	No data available NOEC	Oryzias latipes	1.2 mg/l	30 h
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™

Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

Diisopropanolamine	LC50	Danio rerio (zebra fish)	1,466 mg/l	96 h
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomega hydroxy-	LC50 OECD Test Guideline 203	Danio rerio (zebra fish)	1 - 10 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Daphnia magna (Water flea)	65 mg/l	48 h
	NOEC	Daphnia magna	0.85 mg/l	21 d
Benzyl alcohol	EC50	Daphnia magna (Water flea)	230 mg/l	48 h
	NOEC	Daphnia	51 mg/l	21 d
Diisopropanolamine	EC50	Daphnia magna Straus	277.7 mg/l	48 h
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomega hydroxy-	EC50 OECD Test Guideline 202	Daphnia (water flea)	7.07 mg/l	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill[™] Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Desmodesmus subspicatus (green algae)	2.5 mg/l	72 h
Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h
Diisopropanolamine	EC50	Desmodesmus subspicatus (green algae)	339 mg/l	72 h
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomega hydroxy-	EC50	Desmodesmus subspicatus (green algae)	> 10 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethanolamine	> 90 %	21 d	Readily biodegradable
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable
Diisopropanolamine	94 %	28 d	Readily biodegradable
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomega hydroxy-	79 %	28 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethanolamine	No data available	-1.31
Benzyl alcohol	1.37 estimated	1.1
Diisopropanolamine	3.16 estimated	-0.79
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomega hydroxy-	No data available	3.59

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill[™] Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

Mobility

Component	End point	Value	
Ethanolamine	Кос	15	
Benzyl alcohol	No data available	-	
Diisopropanolamine	Кос	43 estimated	
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomega hydroxy-	No data available		

PBT and vPvB assessment

Component	Results
Ethanolamine	Not fulfilling PBT and vPvB criteria
Benzyl alcohol	Not fulfilling PBT and vPvB criteria
Diisopropanolamine	Not fulfilling PBT and vPvB criteria
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomega hydroxy-	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

12/14

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™

Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

	Land transport	Sea transport	Air transport
UN number	2491	2491	2491
UN proper	UN 2491 Ethanolamine	UN 2491	UN 2491 Ethanolamine
shipping name	solutions, 8, III	Ethanolamine	solutions, 8, III
		solutions, 8, III	
Transport hazard	8	8	8
class(es)			
Packing group	III	III	
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	

15. REGULATORY INFORMATION

Notification status	:	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Prop. 65	:	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

State Right To Know

<u></u>		
Massachusetts RTK	Ethanolamine	141-43-5
Minnesota HSL	Ethanolamine	141-43-5
	Benzyl alcohol	100-51-6
New Jersey HRTK	Ethanolamine	141-43-5
Pennsylvania RTKL	Ethanolamine	141-43-5
	Benzyl alcohol	100-51-6
	Water	7732-18-5
	Diisopropanolamine	110-97-4

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Revision Date 06/29/2015

Print Date 09/26/2016

SDS Number 350000028567 GEN_SOF Number 50496

16. OTHER INFORMATION

HMIS Ratings	
Health	3
Flammability	1
Reactivity	0

NFPA Ratings		
Health	3	
Fire	1	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)