

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 20-Aug-2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	SPARCLEAN COFFEE & TEA CARAFE DESTAINER [60] 7660 Cleaning agent For Industrial and Institutional Use Only	
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com	
24 Hour Emergency Phone Number Medical Emergency/Information Transportation/Spill/Leak:		
2. HAZARDS IDENTIFICATIO	N	
GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation:	Category 2 Category 2A	
<u>GHS Label Elements</u> Signal Word: Symbols:	Warning	
Hazard Statements:	Causes skin irritation. Causes serious eye irritation	
Precautionary Statements: Prevention:	Wash hands and any exposed skin thoroughly after handling. Wear protective gloves Wear eye / face protection	
Response: -Eyes	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
-Skin	present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.	
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.	
Storage: Disposal:	Not Applicable Not Applicable	
Hazards Not Otherwise Classified:	Not Applicable	

Other Information:

- May be harmful if swallowed.
- Inhalation of vapors or mist may cause respiratory irritation.
- Do not use or mix with other cleaning products, acids, ammonia or other chemicals. To do so may release hazardous gases.
- Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
sodium hypochlorite	7681-52-9	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES			
-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
-Skin Contact:	Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical attention.		
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.		
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.		
Note to Physicians:	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media:	Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire		
Specific Hazards Arising from the Chemical:	Combustion products are toxic. Releases oxygen when heated to decomposition which may intensify fire.		
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.		
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.		

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
Incompatible Materials:	Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

None established.

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Personal Protective Equipment	
Eye/Face Protection:	Wear splash goggles.
Skin and Body Protection:	Wear rubber or other chemical-resistant gloves.
Respiratory Protection:	Not required with expected use.
	If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Light yellow
Odor:	Chlorine
pH:	12.5-13.5
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	99 °C / 210 °F
Flash Point:	> 99 °C / > 210 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.036
Solubility(ies):	No information available.
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability:	This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.
Possibility of Hazardous Reactions	: Contact with acids releases chlorine gas. Contact with ammonia releases chloramine gas.
	Contact with aluminum or other reactive metals may release hydrogen gas.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
-Skin Contact:	Pain, redness and cracking of the skin.
-Inhalation:	Vapors may be irritating to eyes, nose, throat, and lungs Nasal discomfort and coughing.
-Ingestion:	Ingestion may cause irritation to mucous membranes. Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effec	ts
Product Information:	Data not available or insufficient for classification.

Sensitization:	None known.
Germ Cell Mutagenicity:	None known.
Reproductive Toxicity:	None known.
Developmental Toxicity:	None known.
Chronic Toxicity:	No information available.
Aspiration Hazard:	No information available.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document. Data not available or insufficient for classification.

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
sodium hypochlorite 7681-52-9	0.095: 24 h Skeletonema costatum mg/L EC50	0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static		2.1: 96 h Daphnia magna mg/L EC50 0.033 - 0.044: 44 h Daphnia magna mg/L EC50 Static

Persistence and Degradability:	No information available.	
Bioaccumulation:	No information available.	

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: US EPA Waste Number: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations. D002

14. TRANSPORT INFORMATION

DOT: Proper Shipping Name: Not Regulated Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory) All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. OTHER INFORMATION

NFPA	Health Hazards: 2	Flammability: 0
HMIS	Health Hazards: 2	Flammability: 0
Revision Date:	20-Aug-2014	
Reasons for Revision:	No information available.	

Instability: 0 Physical Hazards: 0 Special: N/A

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet