



PURE WATER SYSTEM

# HYDROCART

The Hydro Cart is available with electric, battery, or gas engine boost pump options (or these can be added later) that are designed to increase productivity in low water pressure areas or when 2 pole cleaning is desired. The Hydro Cart includes 100 feet of industrial-strength hose that allows you to stay mobile versus being planted in one place when using this unit.

**MOST FREQUENT USE**

RETAIL



HOSPITALITY



CLEANING CONTRACTORS



EDUCATION



**MAX PRODUCTION**

HC .5 to .75GPM  
 Battery .75-1.25 GPM  
 Electric 1.25-2.0 GPM  
 Gas 2 GPM

**NUMBER OF USERS**

HC 1  
 Battery 1-2  
 Electric 2-3  
 Gas 2-3

**CLEANING HEIGHT**

1-3 stories HC  
 1-4 stories battery  
 1-5 stories electric  
 1-5 stories gas engine



BATTERY



ELECTRIC



GAS



# HYDRO CART

			HYDROTUBE	ELECTRIC BOOST PUMP	GAS BOOST PUMP
<b>PRODUCTIVITY</b>					
Dimensions	inches	20 x 21 x 50 inches	20 x 21 x 50 inches	20 x 21 x 50 inches	20 x 21 x 50 inches
Weight	lbs/ kg	70 lbs/ 13 kg	122 lbs/ 13 kg	119 lbs/ 13 kg	127 lbs/ 13 kg
Power		tap pressure	12 V 33ah Gel	115 V AC -60 hz	Honda gas powered
Pump		.5 gpm	.75-1.25 gpm	1.25 - 2 gpm	1.25 - 2 gpm
Working hose length	feet/ cm	100 ft/ 1524 cm	100 ft/ 1524 cm	100 ft/ 1524 cm	100 ft/ 1524 cm
Hose reel		None available	Yes	Yes	None available

- Up to 10x faster than using ladders
- Clean safely from the ground
- Cleans entire window, frame and other non-porous surfaces
- Doesn't use harsh chemicals and only uses a small amount of water
- No chemical residue to attract and hold dirt
- Fast ROI



**IPC Eagle Corporation**  
 3650 Dodd Road Eagan, MN 55123  
 800-486-2775  
[info@ipceagle.com](mailto:info@ipceagle.com)

# CLEANO

## WINDOW AND ALL SURFACE CLEANING SYSTEM

### ENVIRONMENTALLY-FRIENDLY

The Cleano utilizes IPC Eagle's pure water cleaning system, which allows for a chemical-free cleaning. When not using chemicals, no residue is left behind, eliminating any streaks and marks.

### LABOR REDUCTION

The Cleano can be used safely from the ground and has the ability to clean up to 50'. With no longer needing to reposition and climb up a ladder, labor is reduced by 50%.

### FLEXIBLE

The Cleano allows the operator to change out frames using a joint connection system, which makes it easier to clean different surfaces.

### VERSATILE

The Cleano can be used in many applications. Some include: indoor glass, windows and walls, furniture, tables and desks, work benches, doors, showcases, mirrors, elevators, glass refrigerators and indoor window sills.

### ERGONOMIC

The Cleano was specifically designed to be extremely comfortable. With its easy-grip handle and lightweight construction, it is easy to use for everyone.

DESCRIPTION	CODE	DIMENSIONS
CLEANO 1	CL1	1 ft
CLEANO 2	CL2	2 ft
CLEANO 5	CL5	5 ft
CLEANO 10	CL10	10 ft
CLEANO 25	CL25	25 ft
CLEANO 35	CL35	35 ft
CLEANO QUICK LOCK 5'	HC5-QL	5 ft
10" PAD HOLDER W/ QUICK DISCONNECT	COPL70200T	10 in
GLASS PAD GREEN	FRAN01001	10in
GREEN SPOT MOP	FRAN01108	10 in
16" PAD HOLDER W/ QUICK DISCONNECT	COPL70204SST	16 in
GLASS PAD GREEN	FRAN01000	16 in
GREEN SPOT MOP	FRAN01036	18 in
OUTDOOR WATERFED POLE KIT	T80227	N/A





PURE WATER SYSTEM

# HYDROTUBE

The HydroTube™ offers a better, faster way to clean windows up to 5 stories safely from the ground. The unique linear design (patent pending) allows us to build a sophisticated high volume reverse osmosis DI water purification system all in one portable tube. The result is spot free windows at a fraction of the cost and time of any other system.

MAX PRODUCTION

1/2 - 1 gpm

NUMBER OF USERS

1

CLEANING HEIGHT

1-3 stories HT  
 1-4 stories electric  
 1-5 stories gas engine

MOST FREQUENT USE

RETAIL



HOSPITALITY



CLEANING CONTRACTORS



EDUCATION



BATTERY



ELECTRIC



TDS METER



## HYDRO TUBE

### PRODUCTIVITY

		HYDROTUBE	ELECTRIC BOOST PUMP	GAS BOOST PUMP
Dimensions	inches	57 X 13 X 11 in	15 x 13 x 11 in	57 x 13 x 11 in
Weight	lbs/ kg	28 lbs/ 13 kg	28 lbs/ 13 kg	28 lbs/ 13 kg
Power		Tap pressure	Electric	Gas engine
Pump		No pump	Boost	Boost
Working hose length	feet/ cm	50 ft/ 1524 cm	50 ft/ 1524 cm	50 ft/ 1524 cm
Hose reel		None available	None available	None available

- Lightweight with portable RO/ DI cart
- Easily transported in and out of vehicles
- Rolls effortlessly on sidewalks, grass and up and down stairs
- Operates lying down
- Comes complete with a choice of telescopic or sectional poles from 12' to 35'
- Handheld TDS meter
- Produces pure water at less than \$.03 per gallon
- Cleans up to 3 stories without a pump
- Works on tap pressure only
- Easily change filters with no tools required

### ECO BOOST

The ECO-Boost stainless steel pump modules can be easily added to the IPC Eagle HydroTube to increase water flow and productivity. Water production can be increased by two-times and increases overall productivity. It allows the Hydro Tube to clean up to 6 stories with the use of two poles.



**IPC Eagle Corporation**  
 3650 Dodd Road Eagan, MN 55123  
 800-486-2775  
[info@ipceagle.com](mailto:info@ipceagle.com)